

Comments & Demo of Using Pitr Edit & Eclipse for Dev.

For Eclipse, need to make sure older versions of
Cygwin are removed from path

② old cygwin.dll are deleted

To find Simulator for OS 6 actually look under S.3
~~SDK~~ SDK when will find 6 SDK.

Note: ~~need to~~ 60 projects create a DLL
of simulator might need to set up path
variable for this.

Back to forms...

Let's look at elements that can appear in the
BEGIN ... END block of a form.

Buttons

Ex) BUTTON "New" ID 1000 AT (1 BOTTOM@159
AUTO AUTO)
FONT 0

BUTTON "Don't click" ID 1001
AT (1 1 AUTO AUTO)

NONUSABLE NO FRAME

can also have graphical buttons

USABLE
(default)
and

NONUSABLE can
be used w/ most UI elements

don't get clipped
↓

default
1 = bold
2 = large
7 = large + bold
3-5 symbol
6 LED

Check Boxes

Ex) CHECKBOX "Select Level" ID 50
AT (0 80 AUTO AUTO) FONT 1 CHECKED
GROUPID 100

option ↓
↑
optional (mutually exclusive grp.)

Fields

FIELD ID 1005 AT (0 16 153 121)
EDITABLE UNDERLINED
MULTIPLE LINES MAXCHARS 1024 AUTOSHIF

Default ↑
SINGLELINE

↑
graffiti
autoshefing

Can also specify NUMERIC € € HAS SCROLLBARS

Form Bitmaps (For static images)

FORMBITMAP AT (0 16) BITMAP 100

GADGETS (user created UI components)

GADGET ID 1009 AT (0 16 160 120)

GRAB LABELS

LABEL "Some text" AUTOID AT (0 16)